

Selection guide of Diaphragms & Seals

FLUID DIAPHRAGMS	EPDM CH Ethylene-Propylene Diene Monomer	FKM Fluoroelastomer	HNBR Hydrogenated Nitrile Butadiene Rubber	MVQ Silicone	NBR Nitrile rubber
Water	●	●	●	●	●
Alkalis	●				
Ammonia	●				
Air	●	●	●	●	●
Gasoline		●			
Ketones	●				
Diesel fuel		●	●		
Glycol	●		●	●	●
Hydrocarbons		●	●		
Brake fluid	●				
Naphtha		●	●		●
Mineral Oil		●	●		●
Engine Oil		●	●		●
Silicone	●	●			●
Halogenated solvents		●			
Max Temperature (°C)	120 °C	140 °C	120 °C	130 °C	100 °C
Min Temperature (°C)	-20 °C	-10 °C	-30 °C	-40 °C	-25 °C